

28 031 970



Fits: TARA, LISSÉ, VAIA, META

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module

|   |                                     |               |
|---|-------------------------------------|---------------|
|    | Matte Black                         | 28 031 970-33 |
|    | Chrome                              | 28 031 970-00 |
|    | Brushed Platinum                    | 28 031 970-06 |
|    | Platinum                            | 28 031 970-08 |
|    | Dark Chrome                         | 28 031 970-19 |
|    | Light Gold                          | 28 031 970-26 |
|    | Brushed Light Gold                  | 28 031 970-27 |
|    | Brushed Durabronze<br>(23kt Gold)   | 28 031 970-28 |
|    | Brushed Bronze                      | 28 031 970-42 |
|    | Brushed<br>Champagne (22kt<br>Gold) | 28 031 970-46 |
|   | Champagne (22kt<br>Gold)            | 28 031 970-47 |
|  | Brushed Chrome                      | 28 031 970-93 |
|  | Brushed Dark<br>Platinum            | 28 031 970-99 |

Required miscellaneous




**Concealed ceiling installation box** 35 041 970 90  
**with ceiling fixing -**


- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" outlet
- concealed rough parts

28 031 970

mm [inches]




Flow rate chart



Certificates

LGA\_38400.

28 031 970



### Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1   | 90 17 20 263 00 90 | fixing set | 1             | 2             |
| 2   | 90 24 03 309 01 90 | connection | 1             | 2             |
| 3   | 90 24 03 309 00 90 | connection | 1             | 2             |