







28 450 410



- 1/2" shower outlet
- rosette Ø 55 mm
- 1/2" connection
- WRAS 1809019

Intrinsic protection against back flow.

|   |                               |               |
|---|-------------------------------|---------------|
|  | Durabrass (23kt Gold)         | 28 450 410-09 |
|  | Chrome                        | 28 450 410-00 |
|  | Brushed Platinum              | 28 450 410-06 |
|  | Platinum                      | 28 450 410-08 |
|  | Brushed Durabrass (23kt Gold) | 28 450 410-28 |
|  | Brushed Dark Platinum         | 28 450 410-99 |

**Recommended miscellaneous**


**Concealed wall elbow -** 35 085 970 90



- max. recess depth 163 mm
- min. recess depth 90 mm

28 450 410

mm [inches]




**Flow rate chart**



**Certificates**

Belgaqua\_21-381- WRAS\_1809019.  
27\_7.

28 450 410



### Spare parts list

| No. | Item Number        | Name                | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 1   | 09 27 35 003-09    | rosette             | 1             | 40            |
| 2   | 90 14 10 026 00 90 | seal                | 1             | 2             |
| 3   | 09 11 03 121-09    | connection          | 1             | 60            |
| 4   | 90 23 01 141 00 90 | back-flow preventer | 1             | 2             |