

28 450 809



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS 1810006

Intrinsic protection against back flow.

	Brushed Durabronze (23kt Gold)	28 450 809-28
	Chrome	28 450 809-00
	Brushed Platinum	28 450 809-06
	Platinum	28 450 809-08
	Dark Chrome	28 450 809-19
	Brushed Bronze	28 450 809-42
	Brushed Champagne (22kt Gold)	28 450 809-46
	Champagne (22kt Gold)	28 450 809-47
	Brushed Dark Platinum	28 450 809-99

Recommended miscellaneous


Concealed wall elbow - 35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm

28 450 809

mm [inches]



Flow rate chart



Codes & Standards

EN 1717

Scottish Water
Byelaws

UK Water Supply
Regulations



VAIA Wall elbow - Brushed Durabronz (23kt Gold)

VAIA

28 450 809

Certificates


WRAS_1810

Belgaqua_22_280_2

28 450 809

Product version from 3/13/2017 to 7/6/2018

Product version from 7/6/2018





VAIA Wall elbow - Brushed Durabrass (23kt Gold)

VAIA

28 450 809

Spare parts list

Product version from 3/13/2017 to 7/6/2018

Product version from 7/6/2018

No.	Item Number	Name	Quantity used	Delivery time
	90 27 80 021 00-28	rosette	6	20