

Wall elbow - Brushed Durabron (23kt Gold)

IMO


28 450 980



- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits: IMO, MEM, CL.1, CYO

	Brushed Durabron (23kt Gold)	28 450 980-28
	Chrome	28 450 980-00
	Brushed Platinum	28 450 980-06
	Platinum	28 450 980-08
	Durabron (23kt Gold)	28 450 980-09
	Dark Chrome	28 450 980-19
	Brushed Light Gold	28 450 980-27
	Matte Black	28 450 980-33
	Brushed Champagne (22kt Gold)	28 450 980-46
	Champagne (22kt Gold)	28 450 980-47
	Brushed Chrome	28 450 980-93
	Brushed Dark Platinum	28 450 980-99

Recommended miscellaneous




**Concealed wall elbow -**

- max. recess depth 163 mm
- min. recess depth 90 mm

35 085 970 90

28 450 980

mm [inches]




Flow rate chart



Certificates

Belgaqua\_22\_280\_2 WRAS\_2310091. WRAS\_1807022.  
7\_7.

28 450 980



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 16 01 014 90	ring	1	2
2	90 23 01 141 00 90	back-flow preventer	1	2
3	09 24 03 116 20 90	nipple	1	2
4	09 14 10 008 90	seal	1	2
5	09 14 10 142 90	seal	1	2
6	09 30 30 054 90	screw	1	2
7	09 31 11 026 90	pin	1	2
8	09 27 82 006-28	rosette	1	20
9	09 11 03 046-28	connection	1	20
10	09 31 11 005 90	pin	1	2
11	90 14 10 077 00 90	seal	1	2
12	09 24 03 107 20 90	nipple	1	2
13	90 21 02 069 00-28	cover	1	20