

Wall elbow - Brushed Dark Platinum

SERIES SPECIFIC

28 450 980    Product version up to 7/6/2018




- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

	Brushed Dark Platinum	28 450 980-99
	Chrome	28 450 980-00
	Brushed Platinum	28 450 980-06
	Platinum	28 450 980-08
	Durabrass (23kt Gold)	28 450 980-09
	Dark Chrome	28 450 980-19
	Light Gold	28 450 980-26
	Brushed Light Gold	28 450 980-27
	Brushed Durabrass (23kt Gold)	28 450 980-28
	Matte Black	28 450 980-33
	Brushed Bronze	28 450 980-42
	Brushed Champagne (22kt Gold)	28 450 980-46
	Champagne (22kt Gold)	28 450 980-47
	Brushed Chrome	28 450 980-93

Recommended miscellaneous

- 

Concealed wall elbow -

•max. recess depth 163 mm

•min. recess depth 90 mm

35 085 970 90
- We reserve the right to change designs, product range and technical specifications without prior notice.  
More information can be found at: [www.dornbracht.com](http://www.dornbracht.com) +49 (0) 2371 8899 900 mail@dornbracht.com
- 1/4

4/4/2025

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
UK Water Supply Regulations			



Wall elbow - Brushed Dark Platinum

SERIES SPECIFIC

28 450 980    Product version up to 7/6/2018

Certificates and sustainability

Belgaqua\_22\_280\_2    WRAS\_2310                      WRAS\_1807                      IAPMO\_4976



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 16 01 014 90	ring	1.00	2
8	09 27 82 006-99	rosette	1.00	20
5	09 14 10 142 90	seal	1.00	2
9	09 11 03 046-99	connection	1.00	20
7	09 31 11 026 90	pin	1.00	2
12	09 24 03 107 20 90	nipple	1.00	2
3	09 24 03 116 20 90	nipple	1.00	2
6	09 30 30 054 90	screw	1.00	2
4	09 14 10 008 90	seal	1.00	2
10	09 31 11 005 90	pin	1.00	2
2	90 23 01 141 00 90	back-flow preventer	1.00	2
11	90 14 10 077 00 90	seal	1.00	2
13	90 21 02 069 00-99	cover	1.00	20