

Wall elbow with integrated shower holder - Brushed Platinum

TARA












28 490 660



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS 1912049

Intrinsic protection against back flow.

Fits: TARA, VAIA, META

| | | |
|--|-----------------------------------|---------------|
|  | Brushed Platinum | 28 490 660-06 |
|  | Chrome | 28 490 660-00 |
|  | Platinum | 28 490 660-08 |
|  | Dark Chrome | 28 490 660-19 |
|  | Light Gold | 28 490 660-26 |
|  | Brushed Light Gold | 28 490 660-27 |
|  | Brushed Durabronze (23kt Gold) | 28 490 660-28 |
|  | Matte Black | 28 490 660-33 |
|  | Brushed Bronze | 28 490 660-42 |
|  | Brushed Champagne (22kt Gold) | 28 490 660-46 |
|  | Champagne (22kt Gold) | 28 490 660-47 |
| | Cyprum | 28 490 660-49 |
|  | Brushed Chrome | 28 490 660-93 |
|  | Brushed Dark Platinum | 28 490 660-99 |


Recommended miscellaneous

- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm




28 490 660

mm [inches]



Flow rate chart



Codes & Standards

EN 1717

Scottish Water
Byelaws

UK Water Supply
Regulations



Wall elbow with integrated shower holder - Brushed Platinum

TARA


28 490 660

Certificates

Belgaqua_21-024-2 WRAS_1912

28 490 660

Product version from 10/1/2023





Wall elbow with integrated shower holder - Brushed Platinum

TARA

28 490 660

Spare parts list

Product version from 10/1/2023

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--------|---------------|---------------|
| | 90 24 03 280 00 90 | nipple | 14 | 2 |