

**Body spray without volume control - Brushed Durabronz (23kt Gold)**

IMO

28 528 782



- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection

Fits: IMO, MEM, CL.1, CYO

	Brushed Durabronz (23kt Gold)	28 528 782-28
	Chrome	28 528 782-00
	Brushed Platinum	28 528 782-06
	Platinum	28 528 782-08
	Dark Chrome	28 528 782-19
	Brushed Light Gold	28 528 782-27
	Matte Black	28 528 782-33
	Brushed Champagne (22kt Gold)	28 528 782-46
	Champagne (22kt Gold)	28 528 782-47
	Brushed Chrome	28 528 782-93
	Brushed Dark Platinum	28 528 782-99

**Recommended miscellaneous**




**Concealed wall elbow -**

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

28 528 782

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



Body spray without volume control - Brushed Durabrass (23kt Gold)

IMO

28 528 782


Certificates

LGA\_38

WRAS\_240602

28 528 782

Product version from 6/1/2024





Body spray without volume control - Brushed Durabrass (23kt Gold)

IMO

28 528 782

**Spare parts list**

**Product version from 6/1/2024**

No.	Item Number	Name	Quantity used	Delivery time
	09 14 10 098 90	seal	10	2