

Body spray without volume control - Durabronz (23kt Gold)















TARA

28 528 979



- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection

Fits: TARA, LISSÉ, VAIA, META

| | | |
|--|-------------------------------|---------------|
|  | Durabronz (23kt Gold) | 28 528 979-09 |
|  | Chrome | 28 528 979-00 |
|  | Brushed Platinum | 28 528 979-06 |
|  | Platinum | 28 528 979-08 |
|  | Dark Chrome | 28 528 979-19 |
|  | Light Gold | 28 528 979-26 |
|  | Brushed Light Gold | 28 528 979-27 |
|  | Brushed Durabronz (23kt Gold) | 28 528 979-28 |
|  | Matte Black | 28 528 979-33 |
|  | Brushed Bronze | 28 528 979-42 |
|  | Brushed Champagne (22kt Gold) | 28 528 979-46 |
|  | Champagne (22kt Gold) | 28 528 979-47 |
|  | Brushed Chrome | 28 528 979-93 |
|  | Brushed Dark Platinum | 28 528 979-99 |

Recommended miscellaneous




Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

28 528 979

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Body spray without volume control - Durabrass (23kt Gold)

TARA

28 528 979


Certificates

LGA_38

WRAS_240602

28 528 979

Product version from 10/1/2023





Body spray without volume control - Durabrass (23kt Gold)

TARA

28 528 979

Spare parts list

Product version from 10/1/2023

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------|---------------|---------------|
| | 90 14 10 026 00 90 | seal | 9 | 2 |