

Rain shower with wall fixing FlowReduce 220 mm - Matte Black

IMO

28 648 670




Fits: IMO, CYO

- 450mm projection
- rain shower Ø 220 mm
- rain flow
- max. flow 7 l/min
- Function from: 6 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|---|--------------------------------|---------------|
|  | Matte Black | 28 648 670-33 |
|  | Chrome | 28 648 670-00 |
|  | Brushed Platinum | 28 648 670-06 |
|  | Platinum | 28 648 670-08 |
|  | Dark Chrome | 28 648 670-19 |
|  | Brushed Light Gold | 28 648 670-27 |
|  | Brushed Durabronze (23kt Gold) | 28 648 670-28 |
|  | Brushed Champagne (22kt Gold) | 28 648 670-46 |
|  | Champagne (22kt Gold) | 28 648 670-47 |
|  | Brushed Chrome | 28 648 670-93 |
|  | Brushed Dark Platinum | 28 648 670-99 |

28 648 670

mm [inches]



Flow rate chart



Certificates

LGA_38655.

28 648 670

Parts for other
finishes can be found
here: [Chrome](#)

