

SERIES SPECIFIC Rain shower with ceiling fixing 220 mm - Brushed Chrome

SERIES SPECIFIC

28 665 970

Product version from 4/1/2025











- rain shower Ø 220 mm
- Material rain shower: plastic
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- quick clearing
- with anti-scale system

Technical data:

- rosette Ø 60 mm
- 1/2" connection

Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|---|-----------------------|---------------|
|  | Brushed Chrome | 28 665 970-93 |
|  | Chrome | 28 665 970-00 |
|  | Dark Chrome | 28 665 970-19 |
|  | Light Gold | 28 665 970-26 |
|  | Brushed Light Gold | 28 665 970-27 |
|  | Matte Black | 28 665 970-33 |
|  | Brushed Bronze | 28 665 970-42 |
|  | Brushed Dark Platinum | 28 665 970-99 |

Required miscellaneous

Concealed wall elbow -


35 085 970 90




SERIES SPECIFIC Rain shower with ceiling fixing 220 mm - Brushed Chrome **SERIES SPECIFIC**

28 665 970 Product version from 4/1/2025

mm [inches]




Flow rate chart



SERIES SPECIFIC Rain shower with ceiling fixing 220 mm - Brushed Chrome SERIES SPECIFIC

28 665 970 Product version from 4/1/2025



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|----------------------|--------------|---------------|---------------|
| | 5 09 16 01 014 90 | ring | 1.00 | 2 |
| | 3 09 11 03 080-93 | connection | 1.00 | 20 |
| | 7 04 18 40 276 00 90 | insert | 1.00 | 2 |
| | 4 09 23 01 039 90 | sieve | 1.00 | 2 |
| | 8 90 12 05 093 00-93 | shower | 1.00 | 20 |
| | 2 09 14 10 141 90 | seal | 1.00 | 2 |
| | 1 09 27 22 040-93 | rosette | 1.00 | 20 |
| | 6 09 23 01 136 90 | flow reducer | 1.00 | 2 |
| | 9 90 30 09 069 00 90 | key | 1.00 | 2 |