

## Rain shower with ceiling fixing 220 mm - Dark Chrome

28 669 970



- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS

	Dark Chrome	28 669 970-19
	Chrome	28 669 970-00
	Brushed Platinum	28 669 970-06
	Platinum	28 669 970-08
	Light Gold	28 669 970-26
	Brushed Light Gold	28 669 970-27
	Brushed Durabrass (23kt Gold)	28 669 970-28
	Matte Black	28 669 970-33
	Brushed Bronze	28 669 970-42
	Brushed Champagne (22kt Gold)	28 669 970-46
	Champagne (22kt Gold)	28 669 970-47
	Brushed Chrome	28 669 970-93
	Brushed Dark Platinum	28 669 970-99

### Recommended miscellaneous




- Concealed wall elbow -** 35 085 970 90
- max. recess depth mm
  - min. recess depth mm


## Rain shower with ceiling fixing 220 mm - Dark Chrome

28 669 970

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## Rain shower with ceiling fixing 220 mm - Dark Chrome

---

28 669 970

### Certificates

---

WRAS\_2212

DVGW\_DW-  
6517DN0

LGA\_38

# Rain shower with ceiling fixing 220 mm - Dark Chrome

28 669 970

