

**Rain shower with ceiling fixing 300 mm - Matte Black**

IMO

28 689 970



- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS 1707033

Fits: IMO, TARA, LISSÉ, VAIA, META


	Matte Black	28 689 970-33
	Chrome	28 689 970-00
	Brushed Platinum	28 689 970-06
	Platinum	28 689 970-08
	Dark Chrome	28 689 970-19
	Light Gold	28 689 970-26
	Brushed Light Gold	28 689 970-27
	Brushed Durabronze (23kt Gold)	28 689 970-28
	Brushed Bronze	28 689 970-42
	Brushed Champagne (22kt Gold)	28 689 970-46
	Champagne (22kt Gold)	28 689 970-47
	Brushed Chrome	28 689 970-93
	Brushed Dark Platinum	28 689 970-99

**Recommended miscellaneous**


- |   |                               |               |
|---|-------------------------------|---------------|
|  | <b>Concealed wall elbow -</b> | 35 085 970 90 |
|   | •max. recess depth 163 mm     |               |
|   | •min. recess depth 90 mm      |               |

28 689 970

mm [inches]



Flow rate chart



Certificates


LGA\_29236.

WRAS\_2212012.

DVGW\_DW-  
6517DN0118.

LGA\_29235.

28 689 970



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 22 040-33	rosette	1	30
2	09 14 10 141 90	seal	1	2
3	09 11 03 080-33	connection	1	30
4	09 23 01 075 90	insert	1	2
5	04 12 05 091 00-33	shower	1	30
6	90 30 09 069 00 90	key	1	2