

LOT Two-hole mixer with individual rosettes - Brushed Platinum










LOT

32 815 680
Product version from 4/1/2024




- 235mm projection
 - pivoting spout 360°
 - air-enriched flow
 - height of mixer 345 mm
 - height up to aerator 319 mm
 - individual rosette 55 x 55 mm
 - hole diameter spout 35 mm
 - single-lever mixer hole diameter 44 mm
 - max. flow 8 l/min at 3 bar flow pressure
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Operating unit can be positioned freely.

| | | |
|---|--------------------------------|---------------|
|  | Brushed Platinum | 32 815 680-06 |
|  | Chrome | 32 815 680-00 |
|  | Platinum | 32 815 680-08 |
|  | Dark Chrome | 32 815 680-19 |
|  | Brushed Durabronze (23kt Gold) | 32 815 680-28 |
|  | Brushed Bronze | 32 815 680-42 |
|  | Brushed Champagne (22kt Gold) | 32 815 680-46 |
|  | Champagne (22kt Gold) | 32 815 680-47 |
|  | Brushed Dark Platinum | 32 815 680-99 |

Recommended miscellaneous




Strainer waste with control handle - Brushed Platinum
10 711 970-06

Recommended miscellaneous



Dispenser with rosette - Brushed Platinum
82 439 970-06

32 815 680 Product version from 4/1/2024



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



LOT Two-hole mixer with individual rosettes - Brushed Platinum

LOT

32 815 680 Product version from 4/1/2024

Certificates and sustainability

LGA_38


WRAS_250402

LOT Two-hole mixer with individual rosettes - Brushed Platinum

LOT

32 815 680 Product version from 4/1/2024

Parts for other
finishes can be found
here: [Chrome](#)





LOT Two-hole mixer with individual rosettes - Brushed Platinum

LOT

32 815 680 Product version from 4/1/2024

Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-----------------|---------------|---------------|
| 1 | 90 11 06 188 05-06 | spout | 1.00 | 10 |
| 18 | 04 30 04 104 00 90 | hose | 2.00 | 2 |
| 7 | 04 24 04 166 10 90 | nipple | 1.00 | 2 |
| 12 | 90 15 05 045 00 90 | cartridge | 1.00 | 2 |
| 20 | 90 24 03 537 01 90 | adaptor | 1.00 | 2 |
| 17 | 09 18 40 079 90 | sleeve | 1.00 | 2 |
| 4 | 09 30 30 057 90 | screw | 1.00 | 2 |
| 14 | 09 27 78 007-06 | rosette | 1.00 | 10 |
| 10 | 09 24 04 142-06 | nut | 1.00 | 10 |
| 8 | 90 14 20 002 00 90 | seal | 1.00 | 2 |
| 19 | 04 30 04 019 00 90 | hose | 1.00 | 2 |
| 9 | 90 20 78 040 00-06 | handle | 1.00 | 10 |
| 11 | 09 14 10 108 90 | seal | 1.00 | 2 |
| 6 | 90 14 10 077 00 90 | seal | 1.00 | 2 |
| 21 | 90 17 09 046 13 90 | conversion kit | 1.00 | 2 |
| 2 | 04 23 10 044 01 90 | fixing set | 1.00 | 2 |
| 15 | 04 30 11 038 02 90 | fixing set | 1.00 | 2 |
| 3 | 90 27 78 023 00-06 | rosette | 1.00 | 10 |
| 5 | 09 30 11 028 90 | disc | 1.00 | 2 |
| 16 | 09 31 11 011 90 | pin | 1.00 | 2 |
| 13 | 09 30 01 100 10 90 | sleeve | 1.00 | 2 |
| 22 | 12 802 970 90 | Extension set - | 1.00 | 60 |