





DORNBACHT YAMOU Single-lever bath mixer for wall mounting - Soft Black

33 200 831



- 190mm projection
- circular normal flow
- automatic bath/shower diverter
- 1/2" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 22 l/min at 3 bar flow pressure
- WRAS 240104019

	Soft Black	33 200 831-69
	Chrome	33 200 831-00

Recommended miscellaneous

Concealed wall elbow - 35 085 970 90







DORNBRACHT YAMOU Single-lever bath mixer for wall mounting - Soft Black

33 200 831

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen

XP P 41-280



DORNBACHT YAMOU Single-lever bath mixer for wall mounting - Soft Black

33 200 831

Certificates

AbP_10

WRAS_240104

ACS_23 ACC NY


Belgaqua_24-003-2



DORNBACHT YAMOU Single-lever bath mixer for wall mounting - Soft Black

33 200 831

Product version from 1/1/2023





DORNBACHT YAMOU Single-lever bath mixer for wall mounting - Soft Black

33 200 831

Spare parts list

Product version from 1/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	90 20 83 071 00-69	handle	11	60