

META Single-lever shower mixer for wall mounting - Brushed Light Gold

33 300 660 Product version from 7/1/2023



- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- WRAS

Intrinsic protection against back flow.

Intrinsic protection against back flow.

	Brushed Light Gold	33 300 660-27
	Chrome	33 300 660-00
	Brushed Platinum	33 300 660-06
	Dark Chrome	33 300 660-19
	Light Gold	33 300 660-26
	Matte Black	33 300 660-33
	Brushed Bronze	33 300 660-42
	Brushed Champagne (22kt Gold)	33 300 660-46
	Champagne (22kt Gold)	33 300 660-47
	Brushed Chrome	33 300 660-93
	Brushed Dark Platinum	33 300 660-99

Required miscellaneous




Single holder for 16 mm AluPEX pipes - 29 021 970 90
 •for 16 mm AluPEX pipes


META Single-lever shower mixer for wall mounting - Brushed Light Gold

33 300 660 Product version from 7/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



META Single-lever shower mixer for wall mounting - Brushed Light Gold


33 300 660 Product version from 7/1/2023

Certificates

LGA_29

META Single-lever shower mixer for wall mounting - Brushed Light Gold

33 300 660 Product version from 7/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 66 007 00-27	handle	1	30
2	09 28 30 032-27	cover	1	60
3	09 14 10 102 90	seal	1	2
4	09 24 04 296 90	nut	1	2
5	90 28 10 148 00 90	accessories	1	2
6	90 15 05 064 00 90	cartridge	1	2
7	04 11 04 030 00 90	connection	2	2
8	09 27 62 004-27	rosette	2	60
9	09 14 10 119 90	seal	2	2
10	09 29 05 005 20 90	nipple	2	60
11	09 14 10 008 90	seal	2	2
12	09 23 10 048-27	nut	2	60
13	09 18 40 059-27	sleeve	2	60
14	90 23 01 141 00 90	back-flow preventer	1	2
15	90 14 10 032 00 90	seal	1	2
16	09 24 03 115 20-27	nipple	1	60
17	90 21 02 069 00-27	cover	1	30