

Wall valve 3/4" -

SERIES-VARIOUS

35 608 970 90



- red brass, lead-free
- female thread 3/4" connection
- 1x female thread 3/4" outlet
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)
- WRAS

Recommended miscellaneous

Leak protection 3/4" -

12 012 970 90




Wall valve 3/4" -

SERIES-VARIOUS

35 608 970 90

mm [inches]



Serie	min	max
Madison	75 [3"]	145 [5 3/4"]
Madison Flair	75 [3"]	145 [5 3/4"]
Lulu	75 [3"]	145 [5 3/4"]
Vaia	75 [3"]	145 [5 3/4"]
Symetrics	75 [3"]	145 [5 3/4"]
Tara	85 [3 3/8"]	145 [5 3/4"]
Deque	85 [3 3/8"]	145 [5 3/4"]
CL1	105 [4 1/8"]	150 [5 7/8"]
Mem	105 [4 1/8"]	150 [5 7/8"]


Codes & Standards

Scottish Water
Byelaws

UK Water Supply
Regulations

Certificates and sustainability

WRAS_2010



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	2 09 14 10 112 90	seal	1.00	2
	6 04 17 20 100 00 90	fixing set	1.00	2
	4 09 21 02 173 90	cap	1.00	2
	8 09 30 30 152 90	screw	4.00	2
	1 04 30 31 024 01 90	fixing set	2.00	2
	7 09 17 20 100 90	holder	2.00	60
	3 09 31 20 003 90	plug	1.00	2
	5 04 14 03 072 01 90	gasket kit	1.00	2