














Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

36 046 660	Product version from 4/1/2024		
	<ul style="list-style-type: none"> cover plate Ø 80 mm Intrinsic protection against back flow.		
	Intrinsic protection against back flow.		
		<div>  <div> Brushed Champagne (22kt Gold) </div> </div>	36 046 660-46
		<div>  <div>Chrome</div> </div>	36 046 660-00
		<div>  <div>Brushed Platinum</div> </div>	36 046 660-06
		<div>  <div>Platinum</div> </div>	36 046 660-08
		<div>  <div>Dark Chrome</div> </div>	36 046 660-19
		<div>  <div>Brushed Durabronze (23kt Gold)</div> </div>	36 046 660-28
		<div>  <div>Matte Black</div> </div>	36 046 660-33
		<div>  <div>Brushed Bronze</div> </div>	36 046 660-42
		<div>  <div>Champagne (22kt Gold)</div> </div>	36 046 660-47
		<div>  <div>Brushed Chrome</div> </div>	36 046 660-93
		<div>  <div>Brushed Dark Platinum</div> </div>	36 046 660-99


Required miscellaneous

	Concealed wall mounting -	35 050 970 90
	<ul style="list-style-type: none"> min. recess depth 80 mm max. recess depth 105 mm 	


Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

36 046 660 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109 ISO 3822 Ü-Zeichen



Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

36 046 660 Product version from 4/1/2024


Certificates and sustainability

LGA_38

Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

36 046 660 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 30 11 232 00 90	disc	1.00	2
16	90 30 30 229 00 90	screw	2.00	2
4	90 24 01 046 00 90	connection	2.00	2
9	09 14 10 120 90	seal	1.00	2
10	09 28 30 041-46	cover	1.00	30
12	09 23 01 131 90	back-flow preventer	1.00	2
11	90 20 66 006 00-46	handle	1.00	30
3	09 31 11 144 90	pin	1.00	2
7	90 15 05 044 00 90	cartridge	1.00	2
8	09 24 04 266 90	nut	1.00	2
5	09 14 10 111 90	seal	1.00	2
6	90 18 40 320 00-46	sleeve	1.00	-
Spare part can no longer be ordered, please order the replacement item				
14	09 24 03 281-46	nipple	1.00	30
2	90 27 66 023 00-46	rosette	1.00	-
Spare part can no longer be ordered, please order the replacement item				
15	90 21 02 069 00-46	cover	1.00	30
13	90 14 10 021 00 90	seal	1.00	2