


## Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold)

36 120 670 Product version from 2/20/2020



- automatic diverter
- cover plate 150 x 90 mm
- WRAS

	Brushed Champagne (22kt Gold)	36 120 670-46
	Chrome	36 120 670-00
	Brushed Platinum	36 120 670-06
	Platinum	36 120 670-08
	Dark Chrome	36 120 670-19
	Brushed Light Gold	36 120 670-27
	Brushed Durabrass (23kt Gold)	36 120 670-28
	Matte Black	36 120 670-33
	Champagne (22kt Gold)	36 120 670-47
	Brushed Chrome	36 120 670-93
	Brushed Dark Platinum	36 120 670-99

### Required miscellaneous



**Concealed single-lever mixer with backflow preventor -** 35 021 970 90

- max. recess depth mm
- min. recess depth mm

### Recommended miscellaneous



**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

### Required miscellaneous



**Concealed single-lever mixer -** 35 020 970 90

- max. recess depth mm
- min. recess depth mm

### Required miscellaneous




**xGRID Installation track 555 mm -** 12 360 970 90



## Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold)

36 120 670 Product version from 2/20/2020

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold)

---

36 120 670 Product version from 2/20/2020

### Certificates


---

LGA\_19

WRAS\_2207

**Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold)**

36 120 670 Product version from 2/20/2020



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 05 039 00 90	cartridge	1	2
2	09 24 04 448 90	nut	1	2
3	09 14 10 084 90	seal	1	2
4	09 11 02 258-46	plate	1	30
5	09 11 02 260-46	sleeve	1	30
6	09 20 67 007-46	handle	1	30
7	09 31 11 099 90	pin	1	2
8	90 31 20 109 00 90	plug	1	2
9	90 31 09 139 00-46	pull-rod	1	30
10	90 21 34 081 00 90	diverter	1	2
11	90 30 09 064 00 90	key	1	2