

Concealed thermostat with two function volume control - Brushed Dark Brass **SERIES SPECIFIC**


36 426 970 Product version from 6/30/2022



- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

| | | |
|-------------------------------------------------------------------------------------|--------------------------------|---------------|
|  | Brushed Dark Brass | 36 426 970-39 |
|  | Chrome | 36 426 970-00 |
|  | Brushed Platinum | 36 426 970-06 |
|  | Platinum | 36 426 970-08 |
|  | Dark Chrome | 36 426 970-19 |
|  | Light Gold | 36 426 970-26 |
|  | Brushed Light Gold | 36 426 970-27 |
|  | Brushed Durabronze (23kt Gold) | 36 426 970-28 |
|  | Matte Black | 36 426 970-33 |
|  | Brushed Bronze | 36 426 970-42 |
|  | Brushed Champagne (22kt Gold) | 36 426 970-46 |
|  | Champagne (22kt Gold) | 36 426 970-47 |
|  | Brushed Chrome | 36 426 970-93 |
|  | Brushed Dark Platinum | 36 426 970-99 |

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|-----------------------------|-----------|------------|------------------------|
| DIN 4109 | EN 1111 | ISO 3822 | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | VA-Zeichen | |



Concealed thermostat with two function volume control - Brushed Dark Brass

SERIES SPECIFIC

36 426 970 Product version from 6/30/2022

Certificates and sustainability

| | | | | |
|--------|--------|-----------------|--------|-------------|
| LGA_19 | ETA_20 | DVGW_DW-6512DN0 | LGA_19 | WRAS_250402 |
|--------|--------|-----------------|--------|-------------|

Concealed thermostat with two function volume control - Brushed Dark Brass SERIES SPECIFIC

36 426 970 Product version from 6/30/2022

Parts for other
finishes can be found
here: [Chrome](#)

