

VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabronze (23kt Gold)

VAIA

36 503 809



- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

| | | |
|--|--------------------------------|---------------|
|  | Brushed Durabronze (23kt Gold) | 36 503 809-28 |
|  | Chrome | 36 503 809-00 |
|  | Brushed Platinum | 36 503 809-06 |
|  | Platinum | 36 503 809-08 |
|  | Dark Chrome | 36 503 809-19 |
|  | Brushed Bronze | 36 503 809-42 |
|  | Brushed Champagne (22kt Gold) | 36 503 809-46 |
|  | Champagne (22kt Gold) | 36 503 809-47 |
|  | Brushed Dark Platinum | 36 503 809-99 |

Required miscellaneous



xTOOL Concealed thermostat module without volume control - 35 503 970 90
 • max. recess depth 110 mm
 • min. recess depth 85 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90



VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed
Durabronze (23kt Gold)

VAIA

36 503 809
mm [inches]



Codes & Standards


| | | | |
|----------|----------|---------------------------|--------------------------------|
| DIN 4109 | ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations |
|----------|----------|---------------------------|--------------------------------|

Ü-Zeichen

Certificates

| | | | |
|--------|--------|--------|-----------|
| LGA_29 | LGA_29 | LGA_29 | WRAS_2011 |
|--------|--------|--------|-----------|

36 503 809





VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed
Durabross (23kt Gold)

VAIA

36 503 809

Spare parts list