

TARA Wall-mounted basin mixer without pop-up waste - Brushed Bronze

TARA

36 712 882 Product version from 4/1/2024



- 190mm projection
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|---|-------------------------------|---------------|
|  | Brushed Bronze | 36 712 882-42 |
|  | Chrome | 36 712 882-00 |
|  | Brushed Platinum | 36 712 882-06 |
|  | Platinum | 36 712 882-08 |
|  | Dark Chrome | 36 712 882-19 |
|  | Brushed Durabrass (23kt Gold) | 36 712 882-28 |
|  | Matte Black | 36 712 882-33 |
|  | Brushed Champagne (22kt Gold) | 36 712 882-46 |
|  | Champagne (22kt Gold) | 36 712 882-47 |
|  | Brushed Chrome | 36 712 882-93 |
|  | Brushed Dark Platinum | 36 712 882-99 |

36 712 882 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



TARA Wall-mounted basin mixer without pop-up waste - Brushed Bronze

TARA

36 712 882 Product version from 4/1/2024

Certificates and sustainability

LGA_18

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 7 | 90 23 01 019 00-42 | aerator | 1.00 | 30 |
| 5 | 09 27 22 503-42 | rosette | 1.00 | 60 |
| 3 | 09 24 03 081 10 90 | extension | 1.00 | 2 |
| 6 | 04 28 22 090 10-42 | spout | 1.00 | 60 |
| 4 | 90 14 10 026 00 90 | seal | 1.00 | 2 |
| 2 | 36 310 882-42 | connection | 2.00 | 30 |
| 8 | 90 90 03 157 00 90 | top | 1.00 | 2 |
| 1 | 90 90 03 156 00 90 | top | 1.00 | 2 |