

27 632 661    Product version from 7/1/2023



- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- 221mm projection
- height of mixer 319 mm
- height up to aerator 216 mm
- hole diameter spout 35 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- WRAS

Intrinsic protection against back flow.

	Matte Black	27 632 661-33
	Chrome	27 632 661-00
	Brushed Platinum	27 632 661-06
	Dark Chrome	27 632 661-19
	Light Gold	27 632 661-26
	Brushed Light Gold	27 632 661-27
	Brushed Dark Brass	27 632 661-39
	Brushed Bronze	27 632 661-42
	Brushed Champagne (22kt Gold)	27 632 661-46
	Champagne (22kt Gold)	27 632 661-47
	Brushed Chrome	27 632 661-93
	Brushed Dark Platinum	27 632 661-99

Recommended miscellaneous



**Perfecto installation kit -** 12 614 970 90

Recommended miscellaneous



**Decorative caps for Perfecto - Matte Black** 12 801 970-33  
• 1 pair



### Flow rate chart



### Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EN 1717
ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen



META Bath shower set for bath rim or tile edge installation - Matte Black

META

27 632 661 Product version from 7/1/2023

Certificates and sustainability

LGA\_38 WRAS\_2207 Belgaqua\_21-026-2 IAPMO\_4976 (



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	29 300 660-33	META Single-lever bath mixer for bath rim or tile edge installation - Matte Black	1.00	30
4	27 702 660-33	META Hand shower set for bath rim or tile edge installation - Matte Black	1.00	10
3	29 140 660-33	META Two-way diverter for bath rim or tile edge installation - Matte Black	1.00	30
2	13 512 661-33	spout	1.00	30