

CYO Single-lever basin mixer with pop-up waste - Chrome

CYO

33 505 811








- 177mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS


Only suitable for basins with an overflow.

Must not be combined with continuous-flow heaters heaters.

Distance from centre of tap hole to wall min. 55 mm
or to front edge of basin min. 40 mm.

| | | |
|---|-----------------------------------|---------------|
|  | Chrome | 33 505 811-00 |
|  | Brushed Platinum | 33 505 811-06 |
|  | Dark Chrome | 33 505 811-19 |
|  | Brushed Durabronze (23kt Gold) | 33 505 811-28 |
|  | Brushed Dark Platinum | 33 505 811-99 |

33 505 811



Flow rate chart



Codes & Standards

DIN 4109

Executive Order
no. 1007

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



CYO Single-lever basin mixer with pop-up waste - Chrome


CYO

33 505 811

Certificates and sustainability

| | | |
|----------|--------|-----------|
| GDV_0400 | LGA_38 | WRAS_2111 |
|----------|--------|-----------|

33 505 811



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---|---------------|---------------|
| 10 | 90 31 20 129 00 90 | plug | 1.00 | 2 |
| 13 | 10 125 970-00 | Basin Waste with push fastening 1 1/4" - Chrome | 1.00 | 2 |
| 8 | 90 31 20 087 00-00 | plug | 1.00 | 10 |
| 4 | 09 24 04 266 90 | nut | 1.00 | 2 |
| 5 | 09 28 30 021-00 | cover | 1.00 | 10 |
| 6 | 09 20 80 024-00 | handle | 1.00 | 10 |
| 1 | 90 11 70 013 01-00 | spout | 1.00 | 10 |
| 9 | 09 31 11 008 90 | pin | 1.00 | 2 |
| 11 | 04 23 10 044 07 90 | fixing set | 1.00 | 2 |
| 3 | 90 15 05 044 00 90 | cartridge | 1.00 | 2 |
| 12 | 04 30 04 100 00 90 | hose | 2.00 | 2 |
| 2 | 09 23 01 172 90 | flow reducer | 1.00 | 2 |
| 7 | 90 31 11 030 00 90 | pin | 1.00 | 2 |