

# BIG RAIN Rain panel for ceiling installation or ceiling substructure installation -Stainless Steel

IMO

41 400 979



- I/min (at 3 bar)
- cover plate, stainless steel 600 x 480 mm
- 2x flexible connection hose 1/2" female thread
- 4x mounting pin
- pre-fitted stainless steel enclosure
- with anti-scale system

#### Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

### technical data:

- minimum flow rate 25 l/min (both rain modes together)
- flow at 3bar flow pressure in conjunction with xTOOL: 39I/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight: 12kg

### technical data:

#### plumbing:

- recommended water hardness: 6-7 °dH if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- feed pipe (hot/cold): 2x DN 20
- for the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which BigRain is used - the specific demand needs to be assessed.

### Recommended miscellaneous




BIG RAIN Cover for supply pipes - 12 940 979-85 Stainless Steel


- ●length 450-480 mm
- •for ceiling substructure installation
- •stainless steel cover 125 x 50 mm



# BIG RAIN Rain panel for ceiling installation or ceiling substructure installation - Stainless Steel



## Flow rate chart



## Certificates


LGA\_18146.





# BIG RAIN Rain panel for ceiling installation or ceiling substructure installation - Stainless Steel

41 400 979



# Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 35 010 00 90	fixing set	1	2
2	04 17 09 001 00-85	casing	1	30
3	12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	1	2
4	90 24 03 027 02 90	nipple	2	2
5	04 21 50 004 01 90	accessories	2	2
7	09 30 30 155 90	screw	4	2
8	09 31 20 036 90	plug	4	2
9	04 29 03 035 00 90	insert	241	60
10	04 11 02 113 02-85	cover	1	30
11	09 24 04 112 10 90	nipple	1	2
12	09 23 01 042 90	insert	1	2
13	09 24 03 027 90	nipple	1	2
14	09 14 20 025 90	seal	1	2