

## MEM Volume Control - Brushed Platinum

MEM

36 310 782 Product version from 3/10/2014 to 10/14/2020



- Flange 2-3/8" x 2-3/8"  
(ADA)

**NOTE: Important! Due to minimum rough-in requirements, a framing of 2 x 6 studs may be needed.**

(ADA)

NOTE: Important! Due to minimum rough-in requirements, a framing of 2 x 6 studs may be needed.

	Brushed Platinum	36 310 782-06
	Chrome	36 310 782-00
	Platinum	36 310 782-08
	Dark Chrome	36 310 782-19
	Brushed Champagne (22kt Gold)	36 310 782-46
	Champagne (22kt Gold)	36 310 782-47
	Cyprus	36 310 782-49
	Brushed Chrome	36 310 782-93
	Brushed Dark Platinum	36 310 782-99

### Required article



**Rough for volume control clockwise-closing 1/2" -**

- Min. rough in depth 3-3/8"
- Max. rough in depth 5-1/8"

35 621 970-90  
0010



MEM Volume Control - Brushed Platinum

MEM

36 310 782    Product version from 3/10/2014 to 10/14/2020

mm [inches]




Codes & Standards

ADA	ASME A112.18.1	cUPC
-----	----------------	------

Certificates and sustainability

IAPMO\_4976 (



**Spare parts list**

Number	Item Number	Designation	Number of units	Lead time
1	09 21 02 108 90	disc	1.00	60
2	90 20 78 002 02-06	handle	1.00	10
3	90 20 78 002 01-06	handle	1.00	10