


BIG RAIN Rain panel for recessed ceiling installation manual control - Stainless Steel



• This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Must be installed with three-way diverter 35 104 970 -90 0010 (rough included)

Three-way diverter ensures that the product does not exceed the max. flow rate of 2.5 gpm at any setting. It does not permit the use of two functions simultaneously.

Three-way diverter trim is sold separately


Please refer to Planning Guide for proper sizing and installation methods

Pre-assembly kit for three-way diverter included






BIG RAIN Rain panel for recessed ceiling installation manual control - Stainless Steel




Flow rate chart





BIG RAIN Rain panel for recessed ceiling installation manual control - Stainless Steel

41 401 979 Parts for other finishes can be found here: Brushed Stainless Steel



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 35 010 00 90	fixing set	4	2
2	04 17 09 001 00-85	casing	1	30
3	12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	2	2
4	90 24 03 027 02 90	nipple	2	2
5	04 21 50 004 01 90	accessories	2	2
6	04 12 05 004 10 90	shower	1	-
	Spare part can no longer	be ordered, please order the replacement item		
7	09 30 30 155 90	screw	4	2
8	09 31 20 036 90	plug	4	2
9	04 29 03 036 00 90	insert	241	60
10	04 11 02 113 02-85	cover	1	30
11	09 24 04 112 10 90	nipple	1	2
12	09 23 01 042 90	insert	1	2
13	09 24 03 027 90	nipple	1	2
14	09 14 20 025 90	seal	1	2
15	35 104 970-90 0010	Concealed three-way diverter -	1	-
	Spare part can no longer	be ordered, please order the replacement item		
	35203970-900010	Concealed three-way diverter -		

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com